

624.012

. .

-

50-60 [1,2].

1991

[3].

50, (ó 15).

1.

1991

1.

17,24	15	15	30	14	80	190	80
17,32		20	30			190	
17,35		30	45			180	
17,50		40	45			180	
17,65		50	45			180	
21,06	25	15	30	16	90	240	
21,03		20	40			230	
21,20		30				230	
21,37		40				230	
21,54		50				230	
24,35	35	15	30	18	100	270	
24,40		20	40			260	
24,51		30	25			320	
24,75		40	35			310	
24,97		50	40			260	

(). , . , . , 267.

1991

18,80	15	15	15	14	80	240	80
17,42			25	12	70	240	
17,24			30	14	80	240	
17,38			20	12	70	230	
17,35			30	14	80	180	
22,95	25	15	15	16	90	300	
21,32			25			250	
21,06			30			240	
21,32			20			240	
21,36			30			230	
26,32	35	15	15	18	100	330	
24,57			25			280	
24,35			30			270	
24,67			20			270	
24,81			30			260	

3.

1991

17,24	15	15	30	14	80	190	80
17,32		20				200	
17,40		25				200	
17,68		25					
17,76		30					
17,68	35		12	70			
21,06	25	15	30	16	90	240	
21,15		20					
21,23		25					
21,32		30					
21,40		35					
21,49	40						
24,35	35	15	30	18	100	270	
24,44		20					
24,54		25					
24,63		30					
24,73		35					
24,82	40						

0,2 %

15 45.

2,3 %.

-15 × × 10,

6

2 3.

6

					1,5%
		1,2			
%					
					2%.
		1.			
				15- 20.	
		2.		2%.	
	(3			
8%.)		3.		30.	
		1.			
	3			//	
		2.	ó 1991. - 6. ó . ó 30-32.	:	
	0,4%.	3.		, 1981.- 263 .,	
			//	- 1986.- 4.- -16-17.	
624.012.35.-033.32					
• „ • „ • •					
-					
		[1],			
		[5],			
	()				
	(),				
		[2].			
		[1]			
		[3, 4],			